

- All units are in millimetres - Tested according EN 1366-3

- Classification No. 23581B

INFORMATION:

- Not to scale

APPLICATION:

Single Plastic Conduit $(d \le 32)$

CFS-FS: 11

REV:

ID:

DATE:


02

02/2025

CFS-FS M Flexible Seal

Page 1/1

Fire Rating up to El 60



Acoustics rating: Rw = 50


Maximum opening dimensions: 1200x500mm. For blank openings see approval documents. *First support and ancillary products should be capable of achieving the same fire performance as the seal and supporting structure.

**Comprising timber or steel studs. Wall construction itself has been classified according to EN 13501-2.


Service Movement Details			
Maximum Deflection=25mm. Vertical Compression ≥ Required Deflection			
If movement capability is required			
Opening height → Opening height Deflection			

Ref.	Service Type (See service standard detail for more specific information)	Distance (mm) [†]
b ₁	To top of opening	≥70 ^{††}
b ₂	To side of opening	≥30 ^{††}
b ₃	To bottom of opening	≥35 ^{††}
C ₁	To metal pipe w/ mineral wool insulation	≥0
C ₂	To metal pipe w/ combustible insulation	≥30
C ₃	To cables/cable bundle/cable carrier	≥50 ^{†††}
C ₄	To cable trunking w/ mineral wool insulation	≥50
C ₅	To combustible plastic pipe w/ Hilti CFS-B	≥30
C ₆	To MLC (Aluminium composite) pipe w/ or w/o insulation	≥50
C ₇	To rectangular PVC Duct w/ Hilti CFS-B	≥50
C ₈	To ClimaSplit bundle	≥50
C ₉	To CPVC or TracPipe®	≥50
C ₁₀	To combustible plastic pipe & conduit w/o addn. protection	≥50
C ₁₁	To conduit w/ Hilti CFS-B	≥50

 † All distance values can be horizontal, vertical or diagonal. †† b₁, b₂, b₃ = 30mm if no movement is required. ††† For cables d > 21mm, a min distance of 100mm from other services is required.



Notes: Conduit to extend a minimum of 300mm on either side of the wall surface Flexible/Pliable Max Wall Thickness: 4.25 mm [‡] Rigid Conduit Max Wall Thickness: 2.0 mm



^{1.} The application limits on this detail are for guidance purposes only. For more detailed information based on the full range of available test results please contact the Hilti Technical Advisory Service.

2. The product and application has been assessed as a minimum to the BS 476 standard. It may have additional European and worldwide testing. Please contact Hilti for further information.

3. All installations should be carried out in accordance with Hilti's installation instructions and by competent & experienced installers using Hilti branded products.

4. All services are to be correctly and adequately supported to prevent collapse and distortion.

Freephone: 0800 886 100 | Website: www.hilti.co.uk